

OrangeHRM Web Installation Guide for Windows



All rights reserved. Published in the United States of America. This publication is protected by copyright, and permission must be obtained from the publisher prior to any prohibited reproduction, storage in retrieval system, or transmission in any form or by any means, electronic mechanical, photocopying, and recording or likewise. For more information regarding permissions to please contact us on info@orangehrm.com.

This document is an effort by the OrangeHRM Training Department.



OrangeHRM is a web based application that has been written in PHP language and it uses a MySQL database to store data. It runs on PHP enabled Apache web server. Provided that both Apache and MySQL are running, you can access OrangeHRM via your web browser.

To install OrangeHRM in your PC, you need to have Apache, MySQL and PHP already installed. All these software products are free and open-source.

Installing each of them manually can be tedious. So we recommend XAMPP/WAMPP which is a free software pack that installs Apache, MySQL, PHP and some more useful software utilities.

Step 1:

Install the environment for OrangeHRM (Apache, MySQL and PHP) using XAMPP/WAMPP.

Download XAMPP for Windows at, http://www.apachefriends.org/en/xampp-windows.html

Download WAMPP (recommended version - 2.0 and above) for Windows at, http://www.wampserver.com/en/download.php

Go to the folder that XAMPP was downloaded in your PC and double click on the XAMPP icon to install.

Install XAMPP using the following the simple steps in the XAMPP installation guide.

Select your preferred Language





Click Next to proceed with your installation.

🔀 XAMPP 1.7.4 win32	
	Welcome to the XAMPP 1.7.4 Setup Wizard
	This wizard will guide you through the installation of XAMPP 1.7.4.
	It is recommended that you close all other applications before starting Setup. This will make it possible to update relevant system files without having to reboot your computer.
	Click Next to continue.
	Next > Cancel

Select the destination folder that XAMPP needs to be saved in. (By default your destination folder to save XAMPP will be C:\)

XAMPP 1.7.4 win32	
Choose Install Location Choose the folder in which to install XAMPP 1.7.4.	ខ
Setup will install XAMPP 1.7.4 in the following folder. To install in a different Browse and select another folder. Click Next to continue.	folder, click
Destination Folder	Browse
Space required: 461.2MB Space available: 70.1GB	
Nullsoft Install System v2.35	Cancel



With the default checked options, click install.

XAMPP 1.7.4 win32	
XAMPP Options Install options on NT/2000/XP Professional systems.	នេ
XAMPP DESKTOP Create a XAMPP desktop icon XAMPP START MENU Create an Apache Friends XAMPP folder in the start menu SERVICE SECTION Install Apache as service Install MySQL as service Install Filezilla as service	
See also the XAMPP for Windows FAQ Page	
Nullsoft Install System v2.35	Cancel

XAMPP will be installed in your PC. This may take a few minutes depending on the speed of your PC.

🔀 XAMPP 1.7.4 win32	
Installing Please wait while XAMPP 1.7.4 is being installed.	នេ
Extract: is_table_constraints_is.test	
Extract: is_schema_privileges_is_mysql_test.test Extract: is_schemata.test Extract: is_schemata_embedded.test Extract: is_schemata_is_mysql_test.test Extract: is_statistics.test Extract: is_statistics_is.test Extract: is_statistics_mysql.test Extract: is_statistics_mysql_embedded.test Extract: is_table_constraints.test Extract: is_table_constraints_is.test	^
Nullsoft Install System v2.35	Cancel



Click finish to complete your installation.



Once the XAMPP installation is complete, this XAMPP control panel will appear on your desktop.

🔀 XAMPP	Control Panel Appli	cation		_ D X
ន	XAMPP Contro	ol Panel	Service	SCM
- Modules Svc Svc Svc	Apache MySql FileZilla Mercury	Start Start Start	Admin Admin Admin	Status Refresh Explore Help
Windows	6.1 Build 7600 I	Platform 2		Exit
Current Install(Status C Busy Apache s Busy	Directory: c:\xa er) Directory: (heck OK tarted [Port 80]	ampp 2:\xampp]		E
Apache s	topped [Port 80]]		▼



On the XAMPP control panel, to run Apache, click Start.

	Control Par	el Applicatio	on		_ 🗆 X	:
ន	ХАМР	P Control P	anel	Service	SCM	
Modules					Status	
Svc	Apache	Running	Stop	Admin	Defeash	51
Svc	MySql		Start	Admin	Refresh	31
Svc	FileZilla		Start	Admin	Explore	5
Svc	Mercury		Start	Admin	Help	-
					Exit	
Install(er) Direct	tory: c:/3	ampp			^
Busy	MECK OK					
Apache s	tarted [Pe	ort 80]				
Apache s	topped [P	ort 80]				Ξ
Busy	towned (D	001				
Apache s	carted [Pe	ort suj				Ŧ
•					Þ	зđ

*A firewall message may appear, asking for permission to block/unblock Apache. Click "unblock" to allow Apache to run in your PC.

On the XAMPP control panel, to run MySQL, click the start button.

🔀 ХАМРР	Control Par	nel Applicatio	on		_ D _X
8	ХАМР	P Control Pa	anel	Service	SCM
- Modules -					Status
Svc 📃	Apache	Running	Stop	Admin	Refresh
Svc 🗸	MySql	Running	Stop	Admin	Explore
Svc 📃	FileZilla		Start	Admin	Help
Svc	Mercury		Start	Admin	Exit
Busy Apache st Busy Apache st Busy Apache st Busy MySql ser	carted [P copped [P carted [P cvice sta	ort 80] ort 80] ort 80] rted			
•					► lait



Before proceeding to the next step, check if Apache and MySQL are in running status on your XAMPP control panel.

If you have installed WAMPP, make sure that Apache and MySQL are in running status.

Then start your browser, and go to the following URL: <u>http://localhost/xampp/splash.php</u>



If the XAMPP homepage appears on your web browser, you have successfully installed XAMPP.



Step 2:

Now you may download OrangeHRM by visiting http://orangehrm.com/download.php



If you are a Windows user, download Windows (.zip)

If you are a Linux user, download Linux (.tar.gz)

Once you fill up your registration details, OrangeHRM will automatically start downloading from Sourceforge (OrangeHRM product repository).



Step 3:

Once download is complete, go to the destination folder where OrangeHRM was downloaded in your PC.

Copy the OrangeHRM folder.

Documents library Includes: 2 locations		
	Jehrm-2.6.8 Open Open in new window Add to VLC media player's Playlist Play with VLC media player Share with SVN Checkout TortoiseSVN Add to archive Add to archive	1
	Compress and email Compress to "orangehrm-2.6.8.rar" and email Restore previous versions Send to	
	 Cut	
	Сору	J

Paste the OrangeHRM folder in the htdocs folder.

► Computer ► Local Disk (C:) ► xampp ► htdocs ►			
Include in library 👻 Share with 👻 New folder			
Name	Date modified	Туре	Size
🌗 forbidden	11/14/2011 4:34 PM	File folder	
🌗 orangehrm-2.6.8	11/14/2011 5:45 PM	File folder	
📕 restricted	11/14/2011 4:34 PM	File folder	
🐌 xampp	11/14/2011 4:34 PM	File folder	
🔝 apache_pb	12/21/2007 7:30 AM	GIF image	3 KB
📭 apache_pb	12/21/2007 7:30 AM	PNG image	2 KB
🔝 apache_pb2	12/21/2007 7:30 AM	GIF image	3 KB
📭 apache_pb2	12/21/2007 7:30 AM	PNG image	2 KB
🔝 apache_pb2_ani	12/21/2007 7:30 AM	GIF image	3 KB
🔀 favicon	2/7/2009 5:17 PM	Icon	8 KB
index	12/21/2007 7:31 AM	Chrome HTML Do	1 KB
index.php	1/20/2009 1:19 PM	PHP File	1 KB
🚳 Thumbs	12/16/2010 2:32 PM	Data Base File	10 KB

Copyright © 2011 OrangeHRM Inc. All Rights Reserved.



If you have installed WAMPP, paste the OrangeHRM folder in the www folder.

Step 4:

Copy and paste the name of the OrangeHRM version that you have downloaded in the following URL: <u>http://localhost/orangehrm-2.6.8</u>

orangehrm-2.6.8	10/7/2011 3:03 PM	File folder
🖐 orangehrm-2.6.8-beta.1	8/26/2011 11:01 AM	File folder
orangehrm-OrangeHRM-HRO-portal-1.0	5/30/2011 11:18 AM	File folder
n SVN	9/5/2011 11:01 AM	File folder
퉬 xampp	8/6/2009 12:00 AM	File folder

OR

Type the IP address of your PC instead of the OrangeHRM version name.

Click "Next" to begin OrangeHRM installation.





Click "I accept" to agree and proceed with the installation.

Welcome License Database Configuration System Check Admin User Creation	Confirmation
Sten 1: License Accentance	
Step 1. License Acceptance	
Please read the license and click [I Accept] to continue.	
GNU GENERAL PUBLIC LICENSE	*
Version 2, June 1991	Ξ
Copyright (C) 1989, 1991 Free Software Foundation, Inc.	
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA Everyone is permitted to copy and distribute verbatim copies	
of this license document, but changing it is not allowed.	
Preamble	
The licenses for most software are designed to take away your	
License is intended to guarantee your freedom to share and change free	
softwareto make sure the software is free for all its users. This	
General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to	
using it. (Some other Free Software Foundation software is covered by	
the GNU Library General Public License instead.) You can apply it to	
your programs, coo.	-
Back Accept	
OrangeHRM Web Installation Wizard ver 0.2 © OrangeHRM Inc 2005 - 2011 All rights reserved.	

Configure your database by entering a preferred Database Host Name

(All the data that is populated into the system later, will be stored under this Database Host Name).

Select the two check boxes based on your requirements. Click "Next" to proceed.

Welcome License Database Configuration System Check Admin User Creation Confirmation Installing

Step 2: Database Configuration

Please enter your database configuration information below. If you are unsure of what to fill in, we suggest that you use the default values.

Database Configuration

Database to Use	New Database	•
Database Host Name	localhost]
Database Host Port -	3306	
Database Name	orangehrm_mysql	
Privileged Database Username	root	*
Privileged Database User Password		*
Use the same Database User for OrangeHRM		
OrangeHRM Database Username	orangehrm	#
OrangeHRM Database User Password		#
Enable Data Encryption		

Back Next



The System will check for minimum system requirements to install OrangeHRM in your PC.

Once the system check is complete, click "Next".

Welcome License Database Configuration System Check Admin User Creation Confirmation Installing Regi

Step 3: System Check

In order for your OrangeHRM installation to function properly, please ensure that all of the system check items listed below are green. If any are red, please take the necessary steps to fix them.

Component	Status
PHP version	OK (ver 5.3.5)
MySQL Client	ver 4.1.x or later recommended (reported ver mysqind 5.0.7-dev - 091210 - \$Revision: 304625 \$)
MySQL Server	OK (ver 5.5.8)
MySQL InnoDB Support	Default
Write Permissions for "lib/confs"	ОК
Write Permissions for "lib/logs"	ОК
Write Permissions for "symfony/apps/orangehrm/config"	ОК
Write Permissions for "symfony/cache"	ОК
Write Permissions for "symfony/log"	ОК
Maximum Session Idle Time before Timeout	ОК
Register Globals turned-off	ОК
Memory allocated for PHP script	OK
Web server allows .htaccess files	OK

OrangeHRM Web Installation Wizard ver 0.2

OrangeHRM Inc 2005 - 2011 All rights reserved

You may create an administrator account to login to the system by entering the preferred Username and Password.

Welcome	License	Database Configuration	System Check	Admin User Creation

Step 4: Admin User Creation

After OrangeHRM is configured you will need an Administrator Account to Login into Please fill in the Username and User Password for the Administrator login.

Admin User Creation

OrangeHRM Admin Username	Admin	
OrangeHRM Admin User Password	••••]
Confirm OrangeHRM Admin User Password	••••]

Back Next

OrangeHRM Web Installation Wizard ver 0.2 © OrangeHRM Inc 2005 - 2011 All rights reserved.



This is the final step of your installation. This will show a summary of the previous steps in the installation. Click Install.

Welcome	License	Database Configuration	System Check	Admin User Creation	Confirmation	Installing	Reg
		_	-				

Step 5: Confirmation

All information required for OrangeHRM installation collected in the earlier steps are given below. On confirmation the installer will create the database, database users, configuration file, etc. Click **[Install]** to continue.

Details

Host Name	localhost
Database Host Port	3306
Database Name	orangehrm_mysql
Priviledged Database User-name	root
OrangeHRM Admin User Name	Admin
Data Encryption	Data Encryption is on. Employee Social Security Number and Employee Basic Salary would be encrypted. Please backup encryption key located at lib/confs/cryptokeys/

Back Cancel Install Install

OrangeHRM Web Installation Wizard ver 0.2 © OrangeHRM Inc 2005 - 2011 All rights reserved.

Once installation is complete, click "Next".

Welcome License Database Co	onfiguration	System Check	Admin User Creation	Confirmation	Installing
Step 6: Installing					
Installation completed successfuly. Click [Next] to continue.					
Database Creation	Done				
Create Database Tables	Done				
Fill default data into the database	Done				
Create Database User	Done				
Create Default User	Done				
Write Configuration File	Done				
Back Next					

OrangeHRM Web Installation Wizard ver 0.2 © OrangeHRM Inc 2005 - 2011 All rights reserved.



Once you have successfully installed OrangeHRM, register yourself to receive additional support and services from OrangeHRM.

Welcome 👔 License 👔 Database Configuration 👔 System Check 🍸 Admin User Creation 🥤 Confirmation 👔 Installing 🎽 Registration

[Help ?]

Step 7: Registration

You have sucessfully installed OrangeHRM, please take a moment to register.

Benefits of Registration

- Upgrades to new releases
- Receive patches for bug fixes
- Notification of new software updates
- Prioritize your support queries
- Receive OrangeHRM newsletter and other useful updates

Detail

/orld Co.
@techworld.com
789
·
v
No thanks! Register
@techworld.com 789

OrangeHRM Web Installation Wizard ver 0.2 © OrangeHRM Inc 2005 - 2011 All rights reserved.

Now you may login to the OrangeHRM system

Welcome	License	Database Configuration	System Check	Admin User Creation	Confirmation	Installing	Registration
							[Help ?]

Step 7: Registration

You have sucessfully installed OrangeHRM, please take a moment to register.

Benefits of Registration

- Upgrades to new releases
- Receive patches for bug fixes
- Notification of new software updates
- Prioritize your support queries
- Receive OrangeHRM newsletter and other useful updates

Registration information was collected, and Succesfully sent to OrangeHRM.com

Login to OrangeHRM



Step 5:

Login to the OrangeHRM system by using the Administrator account that you created during the installation process.



Welcome to the OrangeHRM system.

-														
Őra	ang		A IF HR MANAG	EMENT									Welcome Admin Chan	ne Password ono
ADMIN	PIM	LEAVE	TIME	BENEFITS	RECRUITMENT	PERFORMANCE	REPORTS	BUG TRA	ACKER HELP				Troisonio Admini <u>onan</u>	
No	Employ	ees Avai	lable in	the System										
Emple	oyee I	nforma	tion											
Emplo	yee Name	Type for	r hints		ld	Type Empl	oyee ld		Employment Status	All				
Super	visor Nam	Type for	r hints		Job Title	All		•	Sub Unit	All	•			
Searc	h	Reset												
Add														
<u>Id</u> ≑	First (& I	Middle) Na	<u>ame</u> ≑			<u>Last Name</u> ≎		1	<u>Job Title</u> ≑	Emplo	<u>/ment Status</u> ≎	<u>Sub Unit</u> ≎	<u>Supervisor</u> ≎	



Execution Time-out

While installing OrangeHRM, the process may time out and a blank page may appear on your browser.

To overcome this error, go to xampp and open php using an editor. (Eg: Notepad++)

Computer 🕨 l	Local Disk (C:) 🕨 xamı	op 🕨	php 🕨			
🗍 Open 🔻	Print New fold	er				
	Name	~		Date modified	Туре	Size
	🚳 phar.phar			12/10/2010 3:09 AM	Windows Batch File	1 KB
	pharcommand.	phar		1/6/2011 10:25 PM	PHAR File	52 KB
29	phing			2/14/2007 1:15 AM	File	2 KB
	🚳 phing			11/14/2011 4:39 PM	Windows Batch File	2 KB
	Php php			1/6/2011 10:24 PM	Application	29 KB
	💽 php			1/6/2011 10:24 PM	GIF image	3 KB
	📄 php		<u> </u>	11/1E/2011 0.4E AM	Configuration sett	86 KB
	php.ini-develop		Open		INI-DEVELOPMEN	69 KB
	php.ini-product		Print		INI-PRODUCTION	70 KB
	php_beautifier		Edit		File	9 KB
	php_beautifier		Edit with Notepad++		Windows Batch File	1 KB
	🚳 php5apache.dll		Open with	•	Application extens	37 KB

Change the following as shown below "max_execution_time = 200" and "max_input_time = 200"

430	
439	; Maximum execution time of each script, in seconds
440	; http://php.net/max-execution-time
441	; Note: This directive is hardcoded to 0 for the CLI SAPI
442	<pre>max_execution_time = 200</pre>
443	
444	; Maximum amount of time each script may spend parsing request data. It's a good
445	; idea to limit this time on productions servers in order to eliminate unexpectedly
446	; long running scripts.
447	; Note: This directive is hardcoded to -1 for the CLI SAPI
448	; Default Value: -1 (Unlimited)
449	; Development Value: 60 (60 seconds)
450	; Production Value: 60 (60 seconds)
451	; http://php.net/max-input-time
452	<pre>max_input_time = 200</pre>
453	
454	; Maximum input variable nesting level
455	; http://php.net/max-input-nesting-level
456	<pre>;max_input_nesting_level = 64</pre>

For any further inquires please write to **info@orangehrm.com**.